



Rockwell Medical, Inc. 2019 Cantor Global Healthcare Presentation

September 24, 2019

WIXOM, Mich., Sept. 24, 2019 (GLOBE NEWSWIRE) -- Rockwell Medical, Inc. (NASDAQ: RMTI) ("Rockwell Medical" or the "Company") today announced that Stuart Paul, Chief Executive Officer, is scheduled to present at the 2019 Cantor Global Healthcare Conference as follows:

Date: Wednesday, October 2, 2019
Time: 10:05 a.m. Eastern Daylight Time
Location: Intercontinental New York Barclay Hotel, NYC
Webcast: <http://wsw.com/webcast/cantor10/rmti/>

The presentation will be webcast live at the aforementioned time, and archived for 30 days thereafter, via the Company's website at www.rockwellmed.com, under the "Investors" section.

About Rockwell Medical

Rockwell Medical is a biopharmaceutical company dedicated to improving outcomes for patients with anemia, with an initial focus on end-stage renal disease (ESRD) and chronic kidney disease (CKD). Rockwell Medical's exclusive renal drug therapy, Triferic, is the only FDA-approved therapeutic indicated for iron replacement and maintenance of hemoglobin in hemodialysis patients. The Company has developed multiple formulations of Triferic (1) FDA-approved Dialysate Triferic; and (2) I.V. Triferic, for which the Company filed a New Drug Application in May 2019. The Company's strategy is to bring its therapeutics to market in the United States and to utilize partners to develop and commercialize such therapeutics in international markets. Rockwell Medical is also an established manufacturer, supplier and leader in delivering high-quality hemodialysis concentrates/dialysates to dialysis providers and distributors in the U.S. and abroad. Please visit www.rockwellmed.com for more information.

About Triferic

Triferic is the only FDA-approved therapy in the U.S. indicated to replace iron and maintain hemoglobin in hemodialysis patients via dialysate during each dialysis treatment. Triferic delivers approximately 5-7 mg iron with every hemodialysis treatment to the bone marrow and maintains hemoglobin without increasing iron stores (ferritin). Unlike traditional IV iron products, Triferic donates iron immediately and completely to transferrin (carrier of iron in the body) upon entry into the blood and is then transported directly to the bone marrow to be incorporated into hemoglobin, with no increase in ferritin (stored iron and inflammation) and no reports of anaphylaxis in over 1,000,000 patient administrations, addressing a significant medical need in overcoming Functional Iron Deficiency (FID) in ESRD patients. The Company has developed multiple formulations of Triferic: (1) FDA-approved Dialysate Triferic; and (2) I.V. Triferic, for which the Company filed a New Drug Application in May 2019 with a PDUFA date of March 28, 2020. Please visit www.triferic.com to view the Triferic mode-of-action (MOA) video and for more information.

Important Safety Information

Serious hypersensitivity reactions, including anaphylactic-type reactions, some of which have been life-threatening and fatal, have been reported in patients receiving parenteral iron products. Patients may present with shock, clinically significant hypotension, loss of consciousness, and/or collapse. Monitor patients for signs and symptoms of hypersensitivity during and after hemodialysis until clinically stable. Personnel and therapies should be immediately available for the treatment of serious hypersensitivity reactions. Hypersensitivity reactions have been reported in 1 (0.3%) of 292 patients receiving Triferic in two randomized clinical trials.

Iron status should be determined on pre-dialysis blood samples. Post dialysis serum iron parameters may overestimate serum iron and transferrin saturation.

The most common adverse reactions ($\geq 3\%$ and at least 1% greater than placebo) in controlled clinical studies include: procedural hypotension (21.6%), muscle spasms (9.6%), headache (9.2%), pain in extremity (6.8%), peripheral edema (6.8%), dyspnea (5.8%), back pain (4.5%), pyrexia (4.5%), urinary tract infection (4.5%), asthenia (4.1%), fatigue (3.8%), arteriovenous (AV) fistula thrombosis (3.4%), and AV fistula site hemorrhage (3.4%).

For more information, including full prescribing information, visit: <http://www.triferic.com>.

Investor Relations:

Lisa M. Wilson
In-Site Communications, Inc.
T: 212-452-2793
E: lwilson@insiteconv.com



Source: Rockwell Medical, Inc.